



Test Report

Report No.: SFT21100825216-03E

Date: Oct.21, 2021

Page 1 of 12

Applicant: Radiolink Electronic Limited

Address: 3/F, Building 2, Fuguo industrial park, Kaifeng Road, Meilin, Shenzhen, Guangdong, China

The following merchandise was (were) submitted and identified by client as:

Sample Name: Radio Control

Model No.: AT10II

Additional No.: R12DS for receiver, PRM-01 for transmitter

Manufacturer: Radiolink Electronic Limited

Address: 3/F, Building 2, Fuguo industrial park, Kaifeng Road, Meilin, Shenzhen, Guangdong China

Test Period: From Oct.08, 2021 to Oct.12, 2021

SUMMARY OF TEST RESULTS

TEST REQUESTED	CONCLUSION
Heavy Metals , Flame Retardants and Phthalates Content - European Council Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) with its Amendments Commission Delegated Directive (EU) 2015/863	PASS

Test Result(s): Please refer to next page(s).

Signed for and on Behalf of SFT



Jack Zhong / Technical Manager
Guangdong Safety Testing Co., Ltd.

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Guangdong Safety Testing Co., Ltd.

No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan,
Guangdong, China
Tel:86-769-23105888 Fax: 86-769-22899858 <http://www.sft-cert.com/>


Test Report

Report No.: SFT21100825216-03E

Date: Oct.21, 2021

Page 2 of 12

Photo of the Submitted Sample



Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,



Guangdong Safety Testing Co., Ltd.

No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan,
Guangdong, China

Tel:86-769-23105888



Fax: 86-769-22899858

<http://www.sft-cert.com/>



Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Test Report



Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Test Report

Report No.: SFT21100825216-03E

Date: Oct.21, 2021

Page 5 of 12

<u>Test Item(s)</u>	<u>Component Description(s)</u>	<u>Style</u>
1	Black plastic	-
2	Black plastic with white printing	-
3	Copper metal	-
4	Black soft plastic wire jacket	-
5	PCB	-
6	Silver metal	-
7	Black plastic with orange /black /white printing	-
8	Transparent plastic with black coating with adhesive	-
9	Copper metal	-
10	Red soft plastic wire jacket with black printing	-
11	Black soft plastic wire jacket with white printing	-
12	Red plastic	-
13	Silver metal with black coating	-
14	White plastic	-
15	Transparent glass	-
16	FPC	-
17	Black plastic	-
18	Black plastic	-
19	Black plastic tube with white printing	-
20	Gray plastic	-
21	Beige plastic	-
22	PCB	-
23	Silver solder tin	-
24	Black plastic	-
25	Black plastic with silver coating	-
26	Black soft plastic wire jacket	-
27	Red soft plastic wire jacket	-
28	White soft plastic wire jacket	-
29	Copper metal	-
30	Red soft plastic wire jacket	-
31	Blue soft plastic wire jacket	-
32	Black soft plastic wire jacket	-
33	Yellow soft plastic wire jacket	-
34	PCB	-

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Test Report

Report No.: SFT21100825216-03E

Date: Oct.21, 2021

Page 6 of 12

Test Result(s):

Heavy Metals , Flame Retardants Content - European Council Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) with its Amendments Commission Delegated Directive (EU) 2015/863

Test Method:	See Appendix.
---------------------	---------------

See Analytes and their corresponding Maximum Allowable Limit in Appendix

Parameter	Lead (Pb)	Cadmium (Cd)	Mercury (Hg)	Chromium VI (Cr VI)	PBBs	PBDEs	Conclusion
Unit	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	-
Test Item(s)	-	-	-	-	-	-	-
001	ND	ND	ND	ND	ND	ND	PASS
002	ND	ND	ND	ND	ND	ND	PASS
003	ND	ND	ND	ND	NA	NA	PASS
004	ND	ND	ND	ND	ND	ND	PASS
005	ND	ND	ND	ND	ND*	ND*	PASS
006	ND	ND	ND	ND	NA	NA	PASS
007	ND	ND	ND	ND	ND	ND	PASS
008	ND	ND	ND	ND	ND	ND	PASS
009	ND	ND	ND	ND	NA	NA	PASS
010	ND	ND	ND	ND	ND	ND	PASS
011	ND	ND	ND	ND	ND	ND	PASS
012	ND	ND	ND	ND	ND	ND	PASS
013	ND	ND	ND	ND	NA	NA	PASS
014	ND	ND	ND	ND	ND	ND	PASS
015	ND	ND	ND	ND	NA	NA	PASS
016	ND	ND	ND	ND	ND	ND	PASS
017	ND	ND	ND	ND	ND	ND	PASS
018	ND	ND	ND	ND	ND	ND	PASS
019	ND	ND	ND	ND	ND	ND	PASS
020	ND	ND	ND	ND	ND	ND	PASS
021	ND	ND	ND	ND	ND	ND	PASS
022	ND	ND	ND	ND	ND*	ND*	PASS
023	ND	ND	ND	ND	NA	NA	PASS
024	ND	ND	ND	ND	ND	ND	PASS
025	ND	ND	ND	ND*	ND	ND	PASS
026	ND	ND	ND	ND	ND	ND	PASS
027	ND	ND	ND	ND	ND	ND	PASS
028	ND	ND	ND	ND	ND	ND	PASS
029	24352#	ND	ND	ND	NA	NA	EX-EMPTED
030	ND	ND	ND	ND	ND	ND	PASS
031	ND	ND	ND	ND	ND	ND	PASS

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Test Report

Report No.: SFT21100825216-03E

Date: Oct.21, 2021

Page 7 of 12

032	ND	ND	ND	ND	ND	ND	PASS
033	ND	ND	ND	ND	ND	ND	PASS
034	ND	ND	ND	ND	ND	ND	PASS

Note / Key:

ND = Not detected
 NA= Not applicable
 % = percent
 Detection Limit: See Appendix.

“>” = Greater than
 mg/kg = milligram(s) per kilogram = ppm = part(s) per million
 10000 mg/kg = 1 %

Phthalates Content - European Council Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) with its Amendments Commission Delegated Directive (EU) 2015/863

Analyte	Requirement (mg/kg)	Result (mg/kg)		
		Test Item		
		2+7+8	26+27+28	30+31+32
Dibutyl phthalate (DBP)	1000	ND	ND	ND
Di-(2-ethyl hexyl) phthalate (DEHP)	1000	ND	ND	80
Benzyl butyl phthalate (BBP)	1000	ND	ND	ND
Di-(iso-butyl) phthalate (DIBP)	1000	ND	ND	ND
Conclusion		PASS	PASS	PASS

Note / Key:

ND = Not detected
 NA= Not applicable
 % = percent
 Report Limit: See Appendix.

“>” = Greater than
 mg/kg = milligram(s) per kilogram = ppm = part(s) per million
 10000 mg/kg = 1 %

Remark:

- The testing approach is listed in table of Appendix.
- * denotes as reported result(s) was (were) performed by wet chemistry method. Others were screened by XRF. For XRF screening, the result(s) of Cr VI was (were) reported as total chromium and the result(s) of PBBs and PBDEs was (were) reported as total bromine. Also, the XRF result(s) may be different to the actual content based on various factors including, but not limit to, sample size, thickness, area, non-uniformity composition, surface flatness.
- Only selected example(s) is (are) indicated on the photograph(s) in Comment.
- According to European Council Directive 2011/65/EU, Article 5 “Adaptation of the Annexes to scientific and technical progress”, exemption(s) should be granted to the materials and components of Test Item(s) in the lists in Annexes III and IV of this directive.
- Result(s) of Cr VI for metallic material(s) was (were) expressed in term of positive and negative. Negative means the absence of Cr VI on the tested areas and the result(s) was (were) regarded as in compliance with European Council Directive 2011/65/EU, Article 4(1). While, positive means the presence of Cr VI on tested areas and the result(s) was (were) regarded as in conflict with European Council Directive 2011/65/EU, Article 4(1).

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

- a. The sample is positive for Cr⁶⁺ if the Cr⁶⁺ concentration is greater than 0.13µg/cm², The sample coating is considered to contain Cr⁶⁺.
- b. The sample is negative for Cr⁶⁺ if the Cr⁶⁺ is N.D. (concentration less than 0.10µg/cm²), The coating is considered a non-Cr⁶⁺ based coating.
- c. The result between 0.10µg/cm² and 0.13µg/cm² is considered to be inconclusive-unavoidable coating variations may influence the determination information on storage conditions and production date of the tested sample is unavailable and thus Cr⁶⁺ results represent status of the sample at the time of testing.
- “#”According to Annex III of European Council Directive 2011/65/EU, exemptions were granted a few materials and Clause 6(c) is reiterated here “Copper alloy containing up to 4 % lead by weight.”. Test Item(s) < 29> was claimed as is by client (received as is). Therefore, this (these) Test Item(s) containing the found lead level should be exempted.

APPENDIX

List of Analytes and their Corresponding Test Methods, Detection Limit and Maximum Allowable Limit [for European Council Directive 2011/65/EU&(EU) 2015/863] :							
No.	Name of Analytes	Report Limit (mg/kg)				Wet Chemistry	Maximum Allowable Limit (mg/kg)
		X-ray fluorescence (XRF) ^[a]					
		Plastic	Metallic / glass / ceramic	Others			
1	Lead (Pb)	100	200	200	10 ^[b]	1000	
2	Cadmium (Cd)	50	50	50	10 ^[b]	100	
3	Mercury (Hg)	100	200	200	10 ^[c]	1000	
4	Chromium (Cr)	100	200	200	NA	NA	
5	Chromium VI (Cr VI)	NA	NA	NA	10 ^[d] / See ^[e]	1000 / Negative	
6	Bromine (Br)	200	NA	200	NA	NA	
7	Polybromobiphenyls (PBBs) - Bromobiphenyl (MonoBB) - Dibromobiphenyl (DiBB) - Tribromobiphenyl (TriBB) - Tetrabromobiphenyl (TetraBB) - Pentabromobiphenyl (PentaBB) - Hexabromobiphenyl (HexaBB) - Heptabromobiphenyl (HeptaBB) - Octabromobiphenyl (OctaBB) - Nonabromobiphenyl (NonaBB) - Decabromobiphenyl (DecaBB)	NA	NA	NA	Each 50 ^[f]	Sum 1000	
8	Polybromodiphenyl ethers (PBDEs) - Bromodiphenyl ether (MonoBDE) - Dibromodiphenyl ether (DiBDE) - Tribromodiphenyl ether (TriBDE) - Tetrabromodiphenyl ether (TetraBDE) - Pentabromodiphenyl ether (PentaBDE) - Hexabromodiphenyl ether (HexaBDE) - Heptabromodiphenyl ether (HeptaBDE) - Octabromodiphenyl ether (OctaBDE) - Nonabromodiphenyl ether (NonaBDE) - Decabromodiphenyl ether (DecaBDE)	NA	NA	NA	Each 50 ^[f]	Sum 1000	

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Test Report

Report No.: SFT21100825216-03E

Date: Oct.21, 2021

Page 9 of 12

9	Dibutyl phthalate (DBP) Di-(2-ethyl hexyl) phthalate (DEHP) Benzyl butyl phthalate (BBP) Di-(iso-butyl) phthalate (DIBP)	NA	NA	NA	Each 50 ^[g]	Each 1000
---	---	----	----	----	------------------------	-----------

NA = Not applicable

[a] Test method with reference to IEC 62321-3-1:2013.

[b] Test method with reference to IEC 62321-5:2013.

[c] Test method with reference to IEC 62321-4:2013.

[d] Polymers and Electronic-Test method with reference to European standard IEC 62321-7-2:2017.


[e] Metal-Test method with reference to European standard IEC 62321-7-1:2015.

[f] Test method with reference to European standard IEC 62321-6: 2015.

[g] Test method with reference to IEC 62321-8:2017.


Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Pb/Cd/Hg/Cr⁶⁺ Testing Flow Chart




Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

PBBs/PBDEs Testing Flow Chart



Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Phthalates Testing Flow Chart



End of Report

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,